



Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Sandra J. Rotar
Health Operations Administrator

Health Department

www.milwaukee.gov/health

Frank P. Zeidler Municipal Building, 841 North Broadway, 3rd Floor, Milwaukee, WI 53202-3653 phone (414) 286-3521 fax (414) 286-5990

Routine Food

Aramark Services Inc
Aramark
6555 W Good Hope Rd
Milwaukee, WI

9/6/2016

The following list of violations of the Wisconsin Administrative Code as adopted by reference in the Milwaukee Code of Ordinances Chapter 68, and/or other City ordinance(s) must be corrected as soon as possible but not later than the date specified. A re-inspection fee may be assessed if the violation is not corrected by that date. An inspection fee may be charged for any repeat violations.

CDC Risk Code Factor Violation(s)

Code Number	Description of Violation	Correct By
Cross Contamination		
3-302.11	Raw shell eggs stored above other ready to eat items in lower food prep cooler. Keep raw shell eggs stored on bottom shelf to prevent possible cross contamination if shells were to crack or break. All food must be protected from cross-contamination.	9/6/2016
Improper Hold		
3-501.16	A. Sliced turkey at 48.5°F, sliced ham at 48.2°F in food prep cooler in grill area. Deli meats on top of food prep cooler were piled above rim level. Keep food at rim level or below rim so the cool air circulating from the cooler can properly cool and keep cool food items in upper area of cooler. B. Diced chicken at 58.1°F, cottage cheese at 51°F in salad bar. Get unit repaired to properly cold hold food items. Potentially hazardous food must be held cold at 41 degrees or below.	9/6/2016
Personal Hygiene		
6-301.11	No soap available at handwash sink in grill area. Provide soap. Make sure all handsinks are supplied with soap. (COS)	9/6/2016
CDC Risk Violation(s):	3	

Good Retail Practice Violations(s)

Code Number	Description of Violation	Correct By
3-401.14	Establishment is par cooking hamburgers and chicken breast without department approval. Provide a written procedure for the par cooking and submit it for department approval.	9/20/2016



Health Department

Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Sandra J. Rotar
Health Operations Administrator

www.milwaukee.gov/health

Frank P. Zeidler Municipal Building, 841 North Broadway, 3rd Floor, Milwaukee, WI 53202-3653 phone (414) 286-3521 fax (414) 286-5990

Good Practice Violation(s): 1

Total Violations: 4

Notes:

On 9/6/2016, I served these orders upon Aramark Services Inc by leaving this report with

Inspector Signature (Inspector ID:115)

Operator Signature